



FORM PTO-1449 (Modified)

ATTY. DOCKET NO.
24736-2049SERIAL NO.
09/663,968LIST OF PATENTS AND PUBLICATIONS FOR
APPLICANT'S SUPPLEMENTAL INFORMATION
DISCLOSURE STATEMENTAPPLICANT
YipFILING DATE
September 19, 2000GROUP
1631

U.S. PATENT DOCUMENTS

EXAMINER INITIAL		DOCUMENT NUMBER							DATE	NAME	CLASS	SUB CLASS	FILING DATE
C641	A	5	6	3	5	7	1	3	06/03/97	Labowsky	250	282	06/16/95
	B	5	6	8	6	6	5	6	11/11/97	Amirav <i>et al.</i>	73	23.41	04/27/96
	C	5	9	7	5	4	9	2	11/02/99	Brenes	251	175	07/14/97
	D	6	1	8	8	0	6	4	02/13/01	Koster	250	282	01/28/99
	E	6	2	7	0	8	3	5	08/07/01	Hunt <i>et al.</i>	427	79	10/07/99

FOREIGN PATENT DOCUMENTS

		DOCUMENT NUMBER							DATE	COUNTRY	CLASS	SUB CLASS	Translation Yes No	

OTHER ART (Including Author, Title, Date, Pertinent Pages, Etc.)

C641	F	Nelson, S.J. and T.R. Brown, "Accuracy of Quantification from 1D NMR Spectra Using the PIQABLE Algorithm," <i>Journal of Magnetic Resonance</i> <u>84</u> : 95-109 (1989).
	G	Polettini <i>et al.</i> "Fully-automated systematic toxicological analysis of drugs, poisons, and metabolites in whole blood, urine, and plasma by gas chromatography-full scan mass spectrometry," <i>Journal of Chromatography B</i> <u>713</u> : 265-279 (1998).
	H	Thompson, J.N., "Fitting Robots with white coat," <i>Laboratory Automation and Information Management</i> <u>31</u> :173-193 (1996)

EXAMINER

DATE CONSIDERED

EXAMINER: Initials of the examiner assigned to the application are entered in the space provided with MPER 609. Do not use through citation of not in information in previous applications. Please do not use this form for the next communication to applicant.

September 10, 2002